

SECTION 1 – PRODUCT IDENTIFICATION

PRODUCT NAME: C31-0032 CLEAR TEXTURE PURPLE

PRODUCT NUMBER: 01C31-0032

SYNONYMS: PAINT

CAS NUMNER: Mixture

UN NUMBER: UN1263

EMERGENCY RESPONSE GUIDE NUMBER: GUIDE 128

RECOMMENDED USE: Paint

COMPANY INFORMATION: EMCO FINISHING PRODUCTS

470 CRESCENT STREET

JAMESTOWN, NEW YORK 14701

PHONE: (716) 483-1176 FAX: (716) 664-6680

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

SECTION 2 – HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION: Flammable Liquid – 2

Skin Corrosion/Irritation - 2

STOT SE – 3 STOT RE – 2

Aspiration Hazard – 1 Skin Sensitization – 1 Reproductive Toxicity – 2

SIGNAL WORD: DANGER







HAZARD PICTOGRAMS:

HAZARD STATEMENTS:
HIGHLY FLAMMABLE LIQUID AND VAPOR
MAY BE FATAL IF SWALLOWED AND ENTERS

AIRWAYS

CAUSES SKIN IRRITATION

MAY CAUSE DROWSINESS OR DIZZINESS MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE MAY CAUSE AN ALLERGIC SKIN REACTION



SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD

PRECAUTIONARY STATEMENTS:

PREVENTION: Read label before use. Keep/store away from heat, hot surfaces, sparks, open flames and

other ignition sources. Use only non-sparking tools. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Use only in a well-ventilated area. Wear protective gloves and eye protection. In case of inadequate ventilation, wear respiratory

protection.

RESPONSE: If swallowed, do NOT induce vomiting. Get medical attention. If on skin, rinse with

plenty of water. If symptoms persist, get medical attention. If inhaled: remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, get medical attention. If in eyes, rinse thoroughly for 15 minutes. Remove contact lenses and continue washing. Get medical attention. If on clothing, wash before reuse. In case of a

fire, fight fire with normal precautions from a reasonable distance. Store in a closed container. Keep in a cool well-ventilated place.

STORAGE: Store in a closed container. Keep in a cool well-ventilated place. **DISPOSAL**: Dispose contents in accordance with federal, state, and local regulations.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE:

INGREDIENT	PERCENT COMPOSITION	CAS NUMBER	
Toluene	40-50%	108-88-3	
Acrylic polymer(s)	20-30%	Not Hazardous	
Xylene	15-25%	1330-20-7	
Epoxidized Soybean Oil	1-10%	8013-07-8	
Ethanol	1-10%	64-17-5	

SECTION 4 – FIRST-AID MEASURES

IF INHALED: Remove to fresh air. If not breathing or breathing is difficult,

give oxygen or artificial respiration and get medical attention.

Do not perform CPR.

IF SKIN CONTACT: Immediately wash skin with mild soap and large volumes of

water. Remove contaminated clothing. Wash clothing before

reuse. Get medical attention if symptoms persist.

IF EYE CONTACT: Thoroughly flush eyes with large volumes of clean, low

pressure water for at least 15 minutes while holding eyelid open. Remove contact lenses, if worn, after initial flushing and then continue flushing. Get immediate medical attention.



IF SWALLOWED: Rinse mouth with water. Drink water. Do NOT induce

vomiting. If vomiting occurs, keep head lower than hips to

prevent aspiration. Get medical attention.

SECTION 5 – FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Water fog or spray, alcohol resistant foam, dry chemical,

carbon dioxide.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water in a tight stream.

SPECIFIC FIREFIGHTING HAZARDS: If possible, keep nearby containers cool. Heat may build

enough internal pressure to rupture a closed container, potentially spreading the fire and increasing risk. Oxides of carbon and other possible toxic solids, vapors, and/or gases

may be emitted.

SPECIAL FIREFIGHTING EQUIPMENT/PROCEDURE:

Wear full protective clothing and self-contained breathing apparatus or air mask. Fight large fires from a safe distance. If possible do not allow discharge runoff into the water

environment.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPEMENT:

Handle in accordance with good industrial hygiene and safety practice. Use chemical resistant gloves and safety glasses with side shields or goggles. To prevent contact with skin, wear clothing covering all exposed areas.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP/EMERGENCY PROCEDURE:

Ventilate the area. Avoid breathing dust or vapor. Use a self-containing breathing apparatus or air mask for larger spills. Remove all sources of sparks or ignition. Clean and dispose contaminated area into an appropriate disposal container.

SECTION 7 - HANDLING AND STORAGE

HANDLING: Handle in accordance with good industrial hygiene and safety

practice. Do not smoke near chemicals.

STORAGE: Keep in cool, well-ventilated area away from any source of

heat, sparks, or open flames. Keep container sealed tight when

not in use. Ensure proper labeling on the container.

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

INGREDIENTS:



INGREDIENT	OSHA	ACGIH	CERCLA RQ	SARA 302 EHS	SARA 313	HUMAN CARCINOGEN
Toluene	No data	No data	None Listed	No	Yes	No
Acrylic polymer(s)	No data	No data	None Listed	No	No	No
Xylene	TWA 100 ppm.	STEL 150 ppm.	1,000 lbs.	No	Yes	No
Epoxidized Soybean Oil	No data	No data	None Listed	No	No	No
Ethanol	PEL 1,000 ppm.	TWA 1,000 ppm.	None Listed	No	No	No

RESPIRATORY PROTECTION: Wear proper safety glasses and gloves. Avoid using contact

lenses.

PROTECTIVE CLOTHING: Wear clothes that protect from exposed skin. Clothing should

be removed and washed after chemical usage.

VENTILATION: Ensure that the area of usage is properly ventilated. If local

exhaust ventilation system is not adequate, use a respiratory

protection program.

ADDITIONAL MEASURES: Wash hands before eating, drinking, smoking or using toilet

facilities. Proper eyewash and safety shower facilities should be

available.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

COLOR:
Varies

ODOR:
Solvent Odor

ODOR THRESHOLD:
No data available

PH:
No data available

MELTING POINT/FREEZING POINT:
No data available

No data available

BOILING POINT/RANGE: >130° F **FLASH POINT:** >0° F

EVAPORTAION RATE: No data available

LOWER EXPLOSIVE LIMIT: ~ 1% UPPER EXPLOSIVE LIMIT: ~ 13%

VAPOR PRESSURE: No data available VAPOR DENSITY: No data available

SPECIFIC GRAVITY: 0.923
SOLUBILITY IN WATER: No
SOLUBILITY IN OTHER SOLVENTS: Yes

PARTITION COEFFICIENT

(N-OCTANOL/WATER): No data available
AUTO-IGNITION TEMPERATURE: No data available
DECOMPOSITION TEMPERATURE: No data available
VISCOSITY: No data available
VOC: 5.18 lbs./gallon



SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions of use

HAZARDOUS POLYMERIZATIONS: None anticipated under normal conditions of use

HAZARDOUS DECOMPOSITION PRODUCTS:

None anticipated under normal conditions of use

CONDITIONS TO AVOID: Keep away from heat, sparks, open flame, static electricity, and

all ignition sources.

INCOMPATIBLE MATERIALS: Oxidizers

SECTION 11 – TOXICOLOGICAL INFORMATION

MEDICAL CONDITION AGGRAVATED: Pre-existing medical conditions in the following systems or

organs may be aggravated by exposure to this product: Skin (dermatitis), eyes, liver, kidneys, nervous system, respiratory system (asthma, lungs). Repeated or prolonged exposure could

produce target organ damage.

INHALATION: High concentrations may lead to Central Nervous System

effects, including drowsiness, dizziness, nausea, headaches,

paralysis, and possible unconsciousness. High vapor

concentrations are irritating to the respiratory system and the eyes. Prolonged or repeated exposure may cause liver or kidney

damage.

INGESTION: Product may be harmful or fatal if swallowed, as well as

produce potential lung damage. It may produce Central

Nervous System effects including dizziness, loss of balance and coordination, coma, or even death. It also is an irritant to the

mouth, throat, and stomach.

EYES: The product will potentially cause moderate to significant eye

irritation.

SKIN: Contact with the solution may cause mild to moderate skin

irritation. Repeated contact may result in defatting and drying/cracking of the skin, which could result in significant skin irritation and dermatitis (rash). Skin absorption may

produce systemic toxicity.

SECTION 12 – ECOLOGICAL INFORMATION

PERSISTENCE AND DEGRADABILITY: No data available

BIO ACCUMULATIVE POTENTIAL: No data available

MOBILITY IN SOIL: No data available



OTHER ADVERSE EFFECTS: No data available

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state and local

regulations.

SECTION 14 – TRANSPORT INFORMATION

UN NUMBER: UN1263

UN PROPER SHIPPING NAME: PAINT

TRANSPORT HAZARD CLASS: 3

PACKING GROUP: II

CONSTITUENTS: (Toluene)

SECTION 15 – REGULATORY INFORMATION

TSCA STATUS: All known components of this product are listed or are exempt

from listing.

SARA SECTION 311/312: ACUTE: Yes

CHRONIC: Yes FIRE: Yes REACTIVE: No PRESSURE RELEASE: No

HMIS HEALTH: 2

HMIS FLAMMABILITY: 3

HMIS RECATIVITY: 0

HMIS PERSONAL PROTECTION: X

SECTION 16 – OTHER INFORMATION

PRODUCT REVISION DATE: 6/5/2018

SDS REVISION DATE: June 5, 2018

SDS REVISION NUMBER: